

9D-A062594

20290

ONR-N.Y.-Doc. No.

UNIVERSITY OF CALIFORNIA SCRIPPS INSTITUTION OF OCEANOGRAPHY

Origin and Generation of Waves

WALTER H. MUNK

(Proceedings of First Conference on Coastal Engineering, Long Beach, California, October 1950. This paper appears as Chapter 1 in the Proceedings.)

Sponsored by

Office of Naval Research Project NR-083-005 Contract N6ori-111, Task VI

and

U. S. Army Beach Erosion Board Contract W-49-055 eng 3

> Reference 51-57 Wave Report No. 99 15 December 1951

DISTRIBUTION STATEMENT A Approved for public release; Distribution Unlimited





UNIVERSITY OF CALIFORNIA SCRIPPS INSTITUTION OF OCEANOGRAPHY

ORIGIN AND GENERATION OF WAVES

Walter H. Munk

(Proceedings of First Conference on Coastal Engineering, Long Beach, California, October 1950. This paper appears as Chapter 1 in the Proceedings.)

Sponsored by

Office of Naval Research Project NR-083-005 Contract N6ori-111, Task VI

and

U. S. Army Beach Erosion Board Contract W-49-055 eng 3

			DDC
ALCESSION	lar	Reference 51-57 Wave Report No. 99	MEARIN
STIS	White Saction	15 December 1951	DEC 28 1978
URANHSUNGI JUSTIFICATI	Per Hr. on file		اللحصيعتال
RE: Op.	permission to	and	D
DISTAIEUT Dist.	AVAIL and/or SPECIAL		Approved for distribution:
A			Noger Revelle
	¹		Roger Revelle, Director
		DISTRIBUTION STATEMENT A	
		Approved for public release; Distribution Unlimited	

CHAPTER 1

ORIGIN AND GENERATION OF WAVES*

Walter H. Munk Institute of Geophysics and Scripps Institution of Oceanography University of California La Jolla, California

INTRODUCTION

It is no more possible to speak of <u>the</u> origin of ocean waves than it is to speak of <u>the</u> origin of sound waves, or of electromagnetic waves. Different types of waves exist, often simultaneously, and these differ from one another with respect to their origin and generation.

A convenient classification can be made on the basis of wave period, i.e., the time interval between the passage of successive crests at a fixed point. Tentatively we may use the following major divisions (Fig. 1):

> Classification Capillary waves Ultra-gravity waves Ordinary gravity waves Long-period waves Ordinary tides Trans-tidal waves

Period less than 0.1 sec. from 0.1 sec. to 1 sec. from 1 sec. to 30 sec. from 30 sec.to 5 min. from 5 min. to 12 hours 12 hours to 24 hours 24 hours and up

These ranges correspond to bands in the spectrum of electromagnetic waves and altogether constitute the spectrum of ocean waves.



Fig. 1. Tentative classification of ocean waves according to wave period. The forces responsible for various portions of the spectrum are shown. The relative amplitude is indicated by the curve.

1*Contribution from the Scripps Institution of Oceanography, New Series No.531. This work represents results of research carried out for the Office of Naval Research, Department of the Navy, and the Beach Erosion Board, Department of the Army, under contract with the University of California.

1

From: Proceedings of first conference on Coastal Engr. Long Beach, Calif. Oct. 1950. Chapter 1. 1951. Copyrighted 1951 Council on Wave Research 4

COASTAL ENGINEERING

APPLICATION OF SPECTRUM

Virtually all the energy of the spectrum is contained in two of the period ranges: the ordinary gravity waves, and the ordinary tides. These are the ones that can be noticed with the naked eye, the ones that have affected mankind since the dawn of history. In the minds of this group the term "waves" is virtually synonymous with the ordinary gravity waves, and we shall be concerned chiefly with them.

However, it is not just for academic reasons that the entire spectrum is discussed. There are some engineering applications that are definitely concerned with periods other than those of the ordinary gravity waves or the tides. The reason usually has to do with "resonance." For example, an artificial harbor with a natural period of oscillation of 2 min. may develop troublesome 2-min. surges, and these depend largely on infra-gravity waves, even though these waves are only a few inches high and completely obscured by much higher waves of shorter period. A ship with a natural roll of 5-sec. period is greatly affected by waves of about 5-sec. period, but only slightly affected by a 14-sec. swell, even though the swell may be much higher. The effectiveness of RADAR is limited by "sea clutter" due to reflection and scatter from capillary waves, rather than the higher wind waves. There are other examples, and they will be covered in the following chapters.

THE STUDY OF THE WAVE SPECTRUM

The scientific problem is to study the origin of the entire wave spectrum, and, as a final test of such efforts, to predict it. Once the spectrum is known, it is the problem of the engineer to evaluate its effect on engineering structures, harbors, and many other things. There has been considerable success in predicting tides, and for most practical application these predictions are adequate. There has been moderate success in predicting wind waves and swell. This subject is discussed by R. S. Arthur in Chapter 8. Briefly reviewed below is the little that is known regarding the fundamentals of wave generation, starting with the waves of shortest period.

CAPILLARY WAVES

This portion of the spectrum is affected to a larger extent by surface tension than by gravity. Very roughly we may include waves of periods less than 0.1 sec. The appropriate wave lengths are shorter than one inch. The velocity increases with decreasing period and length, but always exceeds 0.75 ft. per sec.

These waves are caused by wind, but we know nothing of their mode of origin. They are greatly affected by surface-active agents, such as oils and detergents. They are rapidly damped by viscous forces, and apparently require winds above 3 ft. per sec. for their generation. These waves determine largely the optical effects of the surface. One convenient way of studying them is to photograph the glitter of the sun on the water surface. These capillary waves are also largely responsible for what might be termed the inherent roughness of the surface. As such they determine the effectiveness with which the wind can grip the water. This in turn enters in the study of currents, the piling up of water by on-shore winds (storm tides), and also in the generation of longer period waves.

ULTRA-GRAVITY AND ORDINARY GRAVITY WAVES

5

Again we deal with waves which owe their existence to the wind. Two mechanisms by which the wind may cause these waves to grow are, (a) an excess in pressure on the windward side of waves compared to the pressure on the leeward side, (b) tangential drag on the water surface, assuming waves to have a mass transport according to the irrotational theory. These are the two mechanisms which form the basis of the forecasting method described in Chapter 8. They are of about equal

ORIGIN AND GENERATION OF WAVES

magnitude. There are a number of other possible mechanisms for explaining wave growth, and some of these are now being investigated. All these processes already require the existence of a wave, though possibly one of very small height, in order for the wind to transfer energy to it and to make it grow. However, such a distinction between "origin" and "growth" does not appear to be of practical importance. It seems safe to assume that the impulses received by the sea surface as a consequence of the gustiness of the wind assures a steady supply of very low waves of all length.

The outstanding weakness of present theories concerning the generation of waves is that they do not allow for the variability of the ordinary gravity waves. The theories are concerned only with the higher waves present. They say nothing about the character of the waves twice the period of the higher waves, or half their period.

Consider a rather severe storm, capable of raising a sea for which the higher waves are 20 ft. high and have a period of 10 sec. At the same time there will be present longer waves and shorter waves. The longest waves may have periods up to 25 sec. The height of the 20-sec. waves is perhaps only one foot, and to the naked eye these long waves are obscured by the higher waves present. Owing to the fact that in deep water the velocity of the waves is proportional to their period, these long waves will travel ahead of the heavy swell and may reach land several days prior to the arrival of the highest waves. The practical application of these "forerunners" of the swell in providing a warning of higher waves to come (and possibly the storm itself) has been demonstrated in the Atlantic and Pacific.

Measurements of swell, and forerunners of swell, indicate a remarkably slow attenuation of these waves after they have left the storm area. We are recording in California waves from violent storms in all parts of the Pacific to which we are exposed. As a matter of fact, our heavy summer swell has its origin in the roaring forties of the South Pacific Ocean, 5000 miles and 10 days travel time removed from here. Some allowance for a decrease in wave height and a shift towards the longer periods has been made in existing theories. Measurements at Oceanside, California by the Department of Engineering, University of California, Berkeley, indicate that the present estimates of period increase in swell are in error (Wiegel and Kimberley, 1950).

INFRA-GRAVITY WAVES

Instruments especially adapted for the recording of the long waves have revealed the presence of 2-min. waves that are related to the variability in the incoming ordinary gravity waves. A series of high breakers temporarily raises the water level, a series of low breakers permits the level to fall. This oscillation (surf-beat) appears to be propagated seaward from the surf zone. Just outside the surf zone the amplitude of the surf-beat is 10 percent of that of the mean breakers.

These long waves in their travel seaward are greatly affected by the bottom topography over the entire continental shelf. Isaacs, Williams, and Eckart (1951) have shown that they may even be turned around completely and returned to shore. Calculations show that in depths of several hundred feet the orbital velocities near the bottom associated with the surf beat is likely to be larger than the corresponding velocities of the incoming ordinary gravity waves. A pipe line along the bottom at such depths would be affected principally by such long-period waves. Oscillations in bays and harbors (seiches) may be the result of surf beat.

LONG-PERIOD WAVES

Fairly well defined waves of 15- to 20-min. periods have also been recorded at La Jolla and Oceanside, California. The origin of these waves remains obscure, although a correlation with the meteorological situations is strongly indicated. Some of the remarks made in relation to the surf beat apply here also. These waves are small, hardly more than 2 in. in amplitude.

3

COASTAL ENGINEERING

Waves of somewhat the same period, but of much larger height, result from the sudden displacement of the sea bottom during submarine earthquakes. Popularly these are known as "tidal waves," but since they have nothing to do with the tides, we prefer to use the Japanese word "tsunamis." In Hilo, Hawaii, a tsunami of destructive intensity seems to come about once every 20 years. Protection against such tsunamis is certainly the No. 1 problem of coastal engineering in the Hawaiian area. The construction of a 15 ft. sea wall along the waterfront in Hilo is now being seriously considered. Fortunately the coast of Southern California does not seem to be subject to destructive tsunamis. The largest tsunami waves here that have come to my attention were recorded in the Mission records of San Diego: 2.5 ft.

ORDINARY TIDES

These are caused by the sun and moon. As a whole, the two contribute about equally, since the very much larger mass of the sun is just about compensated for by its larger distance. Most of the energy goes into the semi-diurnal and diurnal periods (the "ordinary" tides), and these are of the same order of magnitude along our coast as the ordinary gravity waves. In most instances, but not always, the effect of the wind on waves of ordinary tide period is <u>relatively</u> small, and the forecast based only on the astronomic factors is satisfactory. It should be added that the forecasts are largely empirical: only the periods of the components are computed from astronomical considerations, whereas the amplitude and phase of each forecast is made.

TRANS-TIDAL WAVES

There are various components of solar and lunar tides in this range of periods, but these tend to be outweighed by the meteorologic factors. The situation is therefore reversed from what is found in the ordinary tide range.

In the river Thames non-tidal variations in water level of several days duration have been observed. There seems to be a correlation between such variations and the passage of storms over the Wyville Thompson ridge in the North Atlantic.

There are also seasonal variations in water level related to the variations in ocean current, and hence indirectly to the prevailing winds. It is not generally known that along the coast of Southern California the mean sea level in the summer is 2/3 of a foot above that in the winter.

We could go on, and consider variations in sea level that have taken place in climatic cycles. For example, the oceans are believed to be rising 1/2 foot per century.

CONCLUSIONS

Any shore installation is, therefore, under the influence of waves ranging in periods from milliseconds to years. The underlying causes of these waves are the winds, directly or indirectly; the sun and moon, and submarine earthquakes. By far the largest part of the spectrum reflects the action of the wind. The wind is most effective in raising waves whose periods lie between 5 sec. and 15 sec. These can be predicted, in a manner. The fact that shorter and longer waves are of smaller height does not mean that they are of no practical consequence. In 10 to 20 years we may be able to predict the entire spectrum of wind generated waves.

REFERENCES

Isaacs, J.D., Williams, E.A., and Eckart, C. (1951). Total reflection of surface waves by deep water; Trans. Amer. Geophys. Union, vol. 32, pp. 37-40.
Wiegel, R.L., and Kimberley, H.L. (1950). Southern swell observed at Oceanside, California; Trans. Amer. Geophys. Union, vol. 31, pp. 717-722.

SI0-S-1

DISTRIBUTION LIST

Commanding Officer Air Force Camb. Res. Cen. Att'n: ERHS-1,Mr. Groos 230 Albany St. Cambridge 39, Mass.

Chief, Air Weather Service, MATS Andrews Air Force Base Washington 25, D.C.

President - U.S. Army Beach Ero. Bd. 5201 Little Falls Rd., NW Washington 16, D.C.

Bingham Oceano. Found. Yale University New Haven, Conn.

Chief, Bureau of Ord. Navy Department Washington 25, D.C.

Chief Dureau of Yards & Docks Navy Department Washington 25, D. C.

Carnegie Inst. of Wash. Att'n: Geophysical Lab. Washington, D. C.

Commandant U.S. Coast Guard 1300, E. St., NW Washington, D. C.

U.S. Fish & Wildlife Ser. Dept. of the Interior Att'n: Director Washington 25, D. C. Directorate for Geophysical Research, Air Force Cambridge Research Center 230 Albany St. Cambridge 39, Mass.

Amer. Museum of Nat. History Central Park West at 74th St. New York 24, N.Y.

U.S. Army Beach Eros. Bd. Att'n: Corps of Engs., OCE 5201 Little Falls Road, NW Washington 16, D.C.

Bernice P. Bishop Museum Honolulu 35, T. H.

Chief, Du. of Ships Att'n: Code 345 Navy Department Washington 25, D.C.

Calif. Acad. of Sciences Att'n: Director Golden Gate Park San Francisco, Calif.

Chesapeake Bay Institute Attn: Director Johns Hopkins University Baltimore, Md.

U.S. Coast Guard Att'n: Aerology and Oce. Sec., Room 7132 1300 E. St., NW Washington, D.C.

U.S. Fish & Wildlife Serv. Dept. of the Interior Att'n: Librarian Washington 25, D. C. Chief Air Weather Serv. Dept. of the Air Force Washington, D. C.

The Chief Armed Forces Special Weapons Project P.O. Dox 2610 Washington, D.C.

Asst. Naval Attache for Research American Embassy Navy 100, c/o F.P.O. New York, N.Y.

Chief Bureau of Aeronautics Navy Department Washington 25, D.C.

Chief, Bu. of Ships 2 Att'n: Code 847 Navy Department Washington 25, D. C.

Carnegie Inst. of Wash. Att'n: Dept. of Terrestrial Magnetism Washington, D. C.

U.S. Coast & Geodetic Survey Department of Commerce Att'n: Director Washington, D. C.

Corps of Engs., U.S. Army, Office of the District Eng. San Francisco District 180 New Montgomery San Francisco, Calif.

U.S. Fish & WJdlfa. Serv Pac.Oce. Fish. Inves. Att'n: Library P.O. Eox 3830 Honolulu, T. H.

SI0-S-2

DISTRIBUTION LIST

U.S. Fish & Wldlfe. Ser. Pac. Oceanic Fish. Inv. Att'n: Sec. of Res. and Dev. P.O. Box 3830 Honolulu, T.H.

Allan Hancock Found. Univ. of So. Calif. Los Angeles 7, Calif.

Hydrographic Office 2 Att'n: Librarian Navy Department Washington 25, D.C.

Dept. Chief of Naval Operations for Air Sero. Sec. Flight Div. Navy Department Washington, D. C.

Director U.S. Naval Res. Lab. Anacostia Station Washington 20, D.C.

U.S. Navy Elec. Lab. Att'n: Code 550 San Diego 52, Calif.

Director U.S. National Museum Wesnington, D. C.

New York University Att'n: Librarian College of Engineering University Heights New York 53, N. Y.

Commanding Officer Office of Nav. Res. America Fore Bldg. 844 N. Rush St. Chicago 11, Ill. Geological Soc. of America 419 W. 117th St. New York 27, N.Y.

Hydrographic Office Att'n: Hydrographer Navy Department Washington 25, D.C.

Sir Claude Inglis, C.I.E. Director of Hydraulics Res. c/o Office of Nav. Res. Dr. Office, Navy #100, F.P.O. New York, N.Y.

Commanding Officer U.S. Nav. Ordnance Lab. Silver Spring 19, Md.

Naval Res. Lab. 9 Att'n: Technical Info. Officer Washington 25, D. C.

U.S. Navy Underwater Sound Lab. Fort Trumbull New London, Conn.

Nat'l. Res. Council Att'n: Comm. on Undersea Warfare 2101 Constitution Ave, NW Washington 25, D. C.

New York University Att'n: Dr.Bernhard Haurwitz Dept.of Meteorology University Heights New York 53, N. Y.

Commanding Officer Office of Naval Research 346 Broadway New York 13, N. Y. U.S. Geol. Survey Dept. of the Interior Washington, D.C.

Hydrographic Office 25 Att'n: Div. Oce. Navy Department Washington 25, D.C.

Lamont Geol. Observ. Att'n: Director Palisades, N. Y.

Naval Postgraduate Sch. Att'n: Dept. of Aerol. Engineering Monterey, Calif.

U.S. Navy Elec. Lab. Att'n: Code 610 San Diego 52, Calif.

Chairman, Nat'l. Adv. Comm. for Aeronautics Att'n: Mr. Eugene B. Jackson, Chief, O.N.I. 1724 F. St, N.W. Washington, D.C.

Chief of Nav. Res. Office of Nav. Res. 2 Att'n: Code 416 Washington 25, D.C.

Commanding Officer Office of Nav. Research 150 Causeway St. Boston 14, Mass.

Officer in Charge Office of Nav. Res. Navy #100, F. P. 0. New York, N. Y. 2

SI0-S-3

Commanding Officer Office of Naval Res. 1030 E. Green St. Pasadena 1, Calif.

Office of the Quartermaster General Military Planning Div. Res. and Dev. Branch Washington 25, D. C.

Commanding General Res. and Dev. Division Department of the Army Washington25, D. C.

Dept. of Oceanography Texas A.& M. College Station, Texas

Marine Laboratory Att'n: Director University of Miami Coral Gables, Fla.

Univ. of California College of Engineering Berkeley 4, Calif.

Univ. of Calif. Scripps Inst. of Oce. Att'n: Library La Jolla, Calif.

Waterways Exper. Sta. P.O. Box 631 Halls Ferry Road Vicksburg, Miss.

Woods Hole Oce. Inst. 2 Att'n: Director Woods Hole, Mass.

DISTRIBUTION LIST

Commanding Officer Office of Nav. Res. 1000 Geary St. San Francisco 9, Calif.

Res. and Dev. Board Nat'l. Military Estab. Att'n: Comm.on Geophysics and Geography Washington 25, D. C.

Smithsonian Institution Att'n: Director Washington, D. C.

Univ. of British Columbia Institute of Oceanography 2 Att'n: Wm. M. Cameron Vancouver, B.C., Canada

Oceanographic Laboratories Att'n: Director University of Washington Seattle, Washington

University of California Institute of Geophysics Los Angeles 24, Calif.

University of California Scripps Inst. of Oceanography Att'n: Director, Marine Physical Laboratory La Jolla, Calif.

U.S. Weather Bureau Att'n: Director 24th and M Sts., D. C. Washington 25, D. C. Pacific Oce. Group c/o Pacific Biol. Sta. Nanaimo, B.C., Canada

Commanding General Res. and Dev. Division Dept. of the Air Force Washington 25, D. C.

David Taylor Mod. Basin Navy Department Washington 7, D. C.

University of Chicago Dept. of Meteorology Chicago 37, Calif.

Univ. of California The General Library 2 Att'n: Gifts & Exchs. Berkeley 4, Calif.

University of California Scripps Inst. of Oce. Att'n: Director La Jolla, California

Waterways Eng. Station Vicksburg, Miss.

U.S. Weather Bureau Att'n: Librarian 24th and M Sts., NW Washington 25, D.C.